Water Chemistry and Microbiology, Coal laboratories

The Technical criteria for the Provision of Proficiency Testing Scheme services contract will be based on a threshold of 80% being compiled as follows:

Mandatory Technical Evaluation Criteria		
The supplier/s must be SANAS ISO/IEC 17043 accredited to provide PT for Water Chemistry		
Qualitative Technical Evaluation Criteria		
	Weight (%)	Returnable with the RFQ/tender
The accreditation schedule percentage must cover at least 80% of the required analysis scope for Water Chemistry proficiency testing requirements.	**50**	Provide a SANAS accreditation schedule Scoring: Accreditation schedule - 100% = 50% Accreditation schedule - 90% = 30% Accreditation schedule - 80% = 20% Accreditation below 80% = 0%
The supplier must have at least 5 years of experience in performing proficiency testing schemes	**30**	A valid Company Registration and any related supporting documents. The certificate, together with supporting company documentation, must demonstrate the number of years the supplier has been actively operating and providing Proficiency Testing Scheme (PTS) services Scoring: Company - 5 & above years = 30% Company - 2 – 4 years = 20% Company - 1 year = 10% Company below 1 year = 0%
Customer feedback	**20**	Reference letters from current or previous clients, issued on the clients' official company letterheads and including valid contact details, confirming the supplier's provision of proficiency testing services. The submitted references will be verified, and the listed client contacts must be successfully reachable for confirmation purposes. Scoring: 5 references = 20% 3 references = 10% 1 reference = 5%
Total	**100%**	
Threshold	**80%**	

Mandatory Technical Evaluation Criteria		
The supplier/s must be SANAS ISO/IEC 17043 accredited to provide PT for Microbiology		
Qualitative Technical Evaluation Criteria		
	Weight (%)	Returnable with the RFQ/tender
The accreditation schedule percentage must cover at least 80% of the required analysis scope for Water Chemistry proficiency testing requirements.	**50**	Provide a SANAS accreditation schedule Scoring: Accreditation schedule - 100% = 50% Accreditation schedule - 90% = 30% Accreditation schedule - 80% = 20% Accreditation below 80% = 0%
The supplier must have at least 5 years of experience in performing proficiency testing schemes	**30**	A valid Company Registration and any related supporting documents. The certificate, together with supporting company documentation, must demonstrate the number of years the supplier has been actively operating and providing Proficiency Testing Scheme (PTS) services Scoring: Company - 5 & above years = 30% Company - 2 – 4 years = 20% Company - 1 year = 10% Company below 1 year = 0%
Customer feedback	**20**	Reference letters from current or previous clients, issued on the clients' official company letterheads and including valid contact details, confirming the supplier's provision of proficiency testing services. The submitted references will be verified, and the listed client contacts must be successfully reachable for confirmation purposes. Scoring: 5 references = 20% 3 references = 10% 1 reference = 5%
Total	**100%**	
Threshold	**80%**	

Mandatory Technical Evaluation Criteria		
The supplier/s must be SANAS ISO/IEC 17043 accredited to provide PT for Coal		
Qualitative Technical Evaluation Criteria		
	Weight (%)	Returnable with the RFQ/tender
The accreditation schedule percentage must cover at least 80% of the required analysis scope for Coal proficiency testing requirements.	**50**	Provide a SANAS accreditation schedule Scoring: Accreditation schedule - 100% = 50% Accreditation schedule - 90% = 30% Accreditation schedule - 80% = 20% Accreditation below 80% = 0%
The supplier must have at least 5 years of experience in performing proficiency testing schemes	**30**	A valid Company Registration and any related supporting documents. The certificate, together with supporting company documentation, must demonstrate the number of years the supplier has been actively operating and providing Proficiency Testing Scheme (PTS) services Scoring: Company - 5 & above years = 30% Company - 2 – 4 years = 20% Company - 1 year = 10% Company below 1 year = 0%
Customer feedback	**20**	Reference letters from current or previous clients, issued on the clients' official company letterheads and including valid contact details, confirming the supplier's provision of proficiency testing services. The submitted references will be verified, and the listed client contacts must be successfully reachable for confirmation purposes. Scoring: 5 references = 20% 3 references = 10% 1 reference = 5%
Total	**100%**	
Threshold	**80%**	

Compiled by: Puseletso Kokhutsa

Senior Advisor Chemistry



Approved by: Mokgadi Manthata

Middle Manager AC&M

