Eskom	Specification	Majuba Power Station

Title:	**Supply, Delivery, Canteen Equipment at Majuba Power Station**	Document Identifier:	**559-1212936780**
		Alternative Reference Number:	**N/A**
		Area of Applicability:	**Majuba Power Station**
		Functional Area:	**Services Department**
		Revision:	**1**
		Total Pages:	**14**
		Next Review Date:	**N/A**
		Disclosure Classification:	**Controlled Disclosure**

Compiled by	**Functional Responsibility**	**Authorized by**
----------	ztshabaz ----------	Khumalo ----------
Kevin Ntuli	**Zandile Tshabalala**	**Nonkululeko Khumalo**
Officer Business Administration	**Manager Property Portfolio**	**Middle Manager Finance (A)**
Date: 26/08/2026	Date: 26/08/2026	Date: 2026/09/11

Content

Page

1. Introduction 3
2. Supporting Clauses 3
   - 2.1 Scope 3
     - 2.1.1 Purpose 3
     - 2.1.2 Applicability 4
     - 2.1.3 Effective date 4
   - 2.2 Normative/Informative References 4
     - 2.2.1 Normative 4
     - 2.2.2 Informative 4
   - 2.3 Definitions 4
   - 2.4 Abbreviations 4
   - 2.5 Roles and Responsibilities 5
     - 2.5.1 Eskom shall be responsible for: 5
   - 2.6 Supplier Responsibilities 6
   - 2.7 Provision of Transport 7
   - 2.8 Process for Monitoring 8
   - 2.9 Related/Supporting Documents 9
3. Scope of Work, Quantities and Specification 9
4. Acceptance 13
5. Revisions 14
6. Development Team 14
7. Acknowledgements 14

Figures

Figure 1: Tray Food Warmer Hot Tray 10

Figure 2: Deep Fryer:4 Pan;B 825 X LG 800 X HT900 11

Figure 3: Locker:HT180 Cm;Steel;Grey;1; 90 Cm;39 11

Figure 4: Trolley: Tea Trolley-3 Tiers;25 KG;A1004 12

Figure 5: Electric 4 Plate Stove, Colour Black 12

Figure 6: Rack:4 Tier Stainless Steel 12

Figure 7: Dispenser:3 Bowl Juice; Plastic;320 W;230 13

Figure 8: Credenza Lilling Cabinet Roller Door System 13

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

1. Introduction

This document sets out the requirements for the Supply, Delivery and Installation of Canteen Equipment at Majuba Power Station. The purpose of the procurement is to provide suitable, reliable and fit-for-purpose canteen equipment to support the effective operation of the station's catering facilities.

The appointed service provider will be responsible for the supply and delivery of the specified equipment to Majuba Power Station, including all activities necessary to ensure that the equipment is delivered in good condition, meets the required specifications and is ready for use. Where applicable, the scope may include installation, commissioning, testing and demonstration of the equipment in accordance with the requirements of the Employer.

All equipment supplied shall be new, of suitable commercial/industrial quality, compliant with applicable South African legislation and standards, and appropriate for the intended operating environment. The supplier shall ensure that equipment is safely packaged, transported and delivered within the agreed contractual period.

The overall objective is to ensure that Majuba Power Station has dependable and appropriate canteen equipment that supports efficient catering operations, promotes workplace health and safety, and provides value for money over the expected service life of the equipment.

2. Supporting Clauses

2.1 Scope

The supporting clauses define the requirements and conditions applicable to the supply and delivery of canteen equipment at Majuba Power Station. These clauses shall be read together with the applicable technical specifications, schedules, and other contract documentation.

2.1.1 Purpose

The purpose of this procurement is to appoint a suitably qualified and experienced service provider for the supply, delivery canteen equipment at Majuba Power Station.

The procurement is intended to ensure the availability of reliable, safe, durable and fit-for-purpose canteen equipment to support the efficient operation of the station's catering facilities and the needs of personnel using these facilities.

The service provider shall ensure that all equipment supplied meets the specified technical, quality, safety and performance requirements and is delivered within the agreed contractual period. The equipment shall be new, fit for its intended purpose and compliant with applicable legislation, standards and the requirements of Majuba Power Station.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

The ultimate objective is to provide the Employer with a complete and functional canteen equipment solution that promotes efficient catering operations, occupational health and safety, maintainability and value for money throughout the equipment's expected service life.

2.1.2 Applicability

This document is applicable to Majuba Power Station.

2.1.3 Effective date

The document will be effective after the day of approval.

2.2 Normative/Informative References

2.2.1 Normative

[1] ISO 9001 Quality Management Systems

[2] Eskom Workspace Standard document - 240-52599753

[3] OHSAS 18001:2007/ ISO 45001:2018, Occupational Health and Safety Management systems

[4] Corporate Identity Manual - ESKAM AAA 1 Rev 2

[5] Act No 85: Occupational Health and Safety Act & Regulations.

2.2.2 Informative

[1] Occupational Health and Safety Act 85 of 1993

2.3 Definitions

Not applicable.

2.4 Abbreviations

Abbreviation	Explanation
Admin	Administration
CI	Corporate Identity

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

2.5 Roles and Responsibilities

The successful Service Provider and Eskom shall fulfil their respective roles and responsibilities to ensure the effective execution of the supply and delivery of canteen equipment at Majuba Power Station. All parties shall cooperate and communicate effectively to ensure that the work is completed safely, efficiently, within the agreed programme and in accordance with the applicable contractual and technical requirements.

2.5.1 Eskom shall be responsible for:

Eskom shall be responsible for providing the necessary support, coordination and oversight to facilitate the successful execution of the contract. Eskom's responsibilities shall include, but not be limited to:

- Providing the Service Provider with the applicable scope of work, technical specifications and relevant contract documentation.
- Providing reasonable access to Majuba Power Station, subject to the station's security, safety and access-control requirements.
- Identifying and communicating the designated delivery and installation areas to the Service Provider.
- Providing reasonable information and clarification required for the Service Provider to execute the scope of work.
- Coordinating access requirements, permits and site-specific requirements applicable to the Service Provider's activities.
- Reviewing and approving relevant submissions, equipment specifications and documentation where required by the contract.
- Inspecting delivered equipment to verify compliance with the specified requirements.
- Witnessing testing, commissioning and acceptance activities where applicable.
- Monitoring the Service Provider's performance against the contractual requirements, agreed programme, quality standards and health and safety requirements.
- Communicating any identified defects, non-conformances or deviations to the Service Provider and requiring appropriate corrective action.
- Facilitating the handover and acceptance of completed work upon satisfactory fulfilment of the contractual requirements.
- Processing payments in accordance with the agreed contractual terms and subject to satisfactory completion and acceptance of the applicable deliverables.
- Providing reasonable coordination with relevant Eskom personnel to facilitate the execution of the work without compromising station operations, safety or security.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Eskom shall retain the right to inspect, reject or require the correction or replacement of any equipment or workmanship that does not comply with the approved specifications, applicable standards or contractual requirements.

2.6 Supplier Responsibilities

The Supplier shall be responsible for:

The Supplier shall be fully responsible for the proper execution of all activities associated with the supply and delivery of canteen equipment at Majuba Power Station. The Supplier shall perform the work in accordance with the contract, approved specifications, applicable legislation, Eskom requirements, and recognised industry standards.

The Supplier's responsibilities shall include, but not be limited to:

- Supplying new, reliable, safe and fit-for-purpose canteen equipment in accordance with the approved specifications and equipment schedule.
- Ensuring that all equipment, components, accessories and materials supplied are of the required quality and suitable for the intended application.
- Providing all necessary resources, including competent personnel, tools, equipment, transport and materials required to execute the scope.
- Ensuring that all equipment is properly packaged, protected and transported to Majuba Power Station to prevent damage during handling and delivery.
- Coordinating delivery dates and times with the Eskom representative prior to delivery.
- Complying with all Majuba Power Station security, access, safety, environmental and site-specific requirements.
- Ensuring that all personnel entering the site are appropriately trained, competent, medically fit where required, and authorised to perform their assigned duties.
- Providing all relevant technical documentation, certificates, warranties, operating manuals and maintenance information associated with the supplied equipment.
- Ensuring that all installations and connections are performed by suitably qualified and competent personnel.
- Immediately reporting any damage, defects, discrepancies, constraints or conditions that may affect the successful execution of the work.
- Replacing or rectifying, at the Supplier's cost, any equipment that is defective, damaged or does not comply with the specified requirements.
- Maintaining good housekeeping and removing all packaging, surplus materials and waste generated through the Supplier's activities.
- Protecting Eskom property, infrastructure, equipment and facilities from damage during delivery, installation and associated activities.
- Maintaining appropriate quality-control records and providing evidence of compliance where required by Eskom.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

- Adhering to the agreed delivery programme and promptly communicating any anticipated delays.
- Not making substitutions, alterations or deviations from the approved specifications without prior written approval from Eskom.
- Providing appropriate after-sales support and honouring all applicable warranties for the supplied equipment.
- Complying with all applicable occupational health and safety, environmental and legal requirements throughout the execution of the contract.
- Ensuring that the completed work and supplied equipment are handed over to Eskom in a safe, clean, functional and acceptable condition.

The Supplier shall remain responsible for the quality, completeness and compliance of the equipment and services provided until formal acceptance by Eskom.

2.7 Provision of Transport

The Supplier shall be responsible for providing all transportation services required for the safe and timely delivery of the canteen equipment to Majuba Power Station.

The Supplier shall ensure that:

- All equipment is transported using suitable, roadworthy and legally compliant vehicles appropriate for the size, weight and nature of the equipment.
- Equipment is adequately secured, packaged, protected and handled during loading, transportation and off-loading to prevent damage, loss, contamination or deterioration.
- All transportation, loading, off-loading, handling and associated costs are included in the Supplier's scope unless otherwise stated in the contract.
- Delivery arrangements, including the proposed delivery date and time, are coordinated with the designated Eskom representative before dispatch.
- All drivers and delivery personnel comply with Majuba Power Station's security, access-control, health and safety requirements.
- The Supplier obtains and maintains all permits, licences and documentation required for the transportation and delivery of the equipment.
- The Supplier provides suitable lifting, handling and off-loading arrangements where required, unless these are specifically identified as Eskom's responsibility.
- The Supplier ensures that equipment is delivered to the designated receiving or installation area identified by Eskom.
- Any damage or loss occurring during transportation, handling or off-loading under the Supplier's control shall be the Supplier's responsibility and shall be rectified at the Supplier's cost.
- Delivery documentation, including delivery notes and relevant equipment documentation, is provided to Eskom upon delivery.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

The Supplier maintains good housekeeping and removes all transport-related packaging and waste from the delivery area.

The Supplier shall plan and execute transportation activities in a manner that minimises disruption to Majuba Power Station operations and ensures compliance with all applicable legal, safety, environmental and site-specific requirements.

2.8 Process for Monitoring

The Supplier's performance shall be monitored throughout the contract period to ensure that the supply, delivery and, where applicable, installation of canteen equipment at Majuba Power Station are executed in accordance with the agreed scope, specifications, programme, quality requirements and applicable Eskom standards.

The monitoring process shall include the following:

- Delivery monitoring: Eskom shall monitor deliveries against the approved equipment schedule, agreed delivery programme and required quantities.
- Quality monitoring: Equipment shall be inspected upon delivery to verify compliance with the approved specifications, quality requirements and applicable standards.
- Condition monitoring: Delivered equipment shall be checked for visible damage, defects, missing components or deterioration resulting from transportation or handling.
- Documentation monitoring: The Supplier shall provide relevant delivery notes, product specifications, certificates, warranties, manuals and other required documentation.
- Installation monitoring: Where installation forms part of the scope, Eskom shall monitor the installation activities to ensure compliance with approved requirements and safe working practices.
- Programme monitoring: Progress shall be assessed against the agreed delivery and implementation programme, and any anticipated delays shall be communicated promptly.
- Health and safety monitoring: The Supplier shall comply with all applicable occupational health and safety requirements and Majuba Power Station site rules. Non-compliance may result in the suspension of affected activities until corrective action has been taken.
- Non-conformance monitoring: Any defective, damaged or non-compliant equipment shall be recorded and communicated to the Supplier. The Supplier shall rectify or replace such equipment within the agreed period.
- Performance reporting: The Supplier shall provide progress information and supporting documentation as reasonably required by Eskom.
- Final acceptance: Final acceptance shall be subject to satisfactory completion of the scope, compliance with the specified requirements, submission of required documentation and confirmation that the equipment is fit for its intended purpose.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Eskom reserves the right to conduct inspections at any reasonable stage of the delivery and implementation process. Monitoring by Eskom shall not relieve the Supplier of its responsibility for the quality, safety, completeness and contractual compliance of the work.

2.9 Related/Supporting Documents

3. Scope of Work, Quantities and Specification

The execution of the supply, delivery and, where applicable, installation of canteen equipment at Majuba Power Station shall be supported by the applicable contractual, technical, quality, health and safety, environmental and operational documentation.

The following documents shall be regarded as related and/or supporting documents, where applicable:

- Contract agreement and applicable terms and conditions.
- Approved Scope of Work and technical specifications.
- Equipment schedule, bill of quantities and approved equipment list.
- Product warranties and guarantees.
- Certificates of conformity, test certificates and other applicable compliance certificates.
- Delivery notes, inspection records and equipment acceptance documentation.
- Eskom's applicable health, safety and environmental requirements.
- Majuba Power Station site-specific safety, security and access-control requirements.
- Applicable occupational health and safety legislation and regulations.
- Applicable South African National Standards (SANS), international standards and statutory requirements relevant to the supplied equipment.
- Quality assurance and quality control documentation applicable to the contract.
- Defect, non-conformance and corrective-action records.
- Handover and final acceptance documentation.

PR1076315295			
1	Tray Food Warmer Hot Tray Warmer;120 V	Each	5
2	Deep Fryer:4 Pan;B 825 X LG 800 X HT900	Each	1
3	Locker:HT180 Cm;Steel;Grey;1; 90 Cm;39	Each	66
4	Trolley: Tea Trolley-3 Tiers;25 KG;A1004	Each	3
5	Electric 4 Plate Stove, Colour Black	Each	1
6	Rack:4 Tier Stainless Steel	Each	10
7	Dispenser:3 Bowl Juice; Plastic;320 W;230	Each	2
8	Credenza Filling Cabinet Roller Door System	Each	122

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Figure 1: Tray Food Warmer Hot Tray



Electric Warming Tray（XXL 32”x18”），Food Warmer with Thermostat and Full Surface Heating, Food Warming Mat with 2 Temperature Modes for Parties...

Colour Name:Black

Size Name:Extra Large 32”x18”

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Figure 2: Deep Fryer:4 Pan;B 825 X LG 800 X HT900



1. **Deep Fryer Electric Stainless Steel Double Tank – 5 Litre+5 Litre**

Figure 3: Locker:HT180 Cm;Steel;Grey;1; 90 Cm;39



x 33

Steel Locker Metal Single Tier , Colour Hammertone Grey 180X30X45CM



x33

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Figure 4: Trolley: Tea Trolley-3 Tiers;25 KG;A1004



Figure 5: Electric 4 Plate Stove, Colour Black



Defy 60cm 4 Plate Electric Stove (Black)
Energy Efficiency Class: B
Width: 60 cm
Hob Type: Electric (Solid Hotplate)
Color of Product: Black

Figure 6: Rack:4 Tier Stainless Steel



A standard 4-tier commercial stainless steel shelving unit.

height of 1800mm to 1950mm. A length or width of **2800mm** is unusual for a single pre-made upright tier unit and usually requires joining multiple modular bays

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

Figure 7: Dispenser:3 Bowl Juice; Plastic;320 W;230



- LED illumination of bowl to enhance product display
- Individual temperature control of each bowl
- Clear polycarbonate bowl for easy cleaning
- Free flow dispensing taps
- Continuous paddle agitation avoiding foaming and sedimentation
- High performance and easy to use designed baffle plate

Figure 8: Credenza Filling Cabinet Roller Door System



Roller Door System Cabinet

1500 x 1200 x 450mm

1 x Roller door

locking system

4. Acceptance

This document has been seen and accepted by:

Full Name and Surname	Designation
Kevin Ntuli	Officer Business Administration
Fannie Mhlanga	Quantity Survey
Zibonele Shabangu	Manager Quant Survey

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30

5. Revisions

Date	Rev.	Compiler	Remarks
August 2026	1	Zandile Tshabalala	First Issue

6. Development Team

Zandile Tshabalala

7. Acknowledgements

None.

CONTROLLED DISCLOSURE

When downloaded from the document management system, this document is uncontrolled and the responsibility rests with the user to ensure it is in line with the authorized version on the system. No part of this document may be reproduced in any manner or form by third parties without the written consent of Eskom Holdings SOC Ltd, © copyright Eskom Holdings SOC Ltd, Reg No 2002/015527/30